

REMARKS


Upon entry of this Preliminary Amendment, Claim 15 will be cancelled. Upon removal of multiple dependencies it is considered to be redundant with Claim 1.

The amendment to the title and abstract have been made to put the application in better form.

The amendments to the claims have been made to place the claims in conformance with U.S. patent practice. These amendments are not in derogation of any prior art, and Applicant respectfully asserts that it is entitled to the claims as amended and any equivalents thereof.

Respectfully submitted,

By


Joseph C. Gil
Attorney for Applicants
Reg. No. 26,602

Bayer Corporation
100 Bayer Road
Pittsburgh, Pennsylvania 15205-9741
(412) 777-8366
FACSIMILE PHONE NUMBER:
(412) 777-8363

/jme/RJH0015

VERSION MARKED TO SHOW CHANGES**IN THE TITLE:**

Before the first line of the specification, please amend the title as follows:

~~Substituted benzoylisoxazoles~~ --**SUBSTITUTED BENZOYLISOXAZOLES AND THE USE THEREOF AS HERBICIDES--**

IN THE ABSTRACT:


Please replace line 1 of the Abstract with the following:

~~Substituted benzoylisoxazoles~~ --**SUBSTITUTED BENZOYLISOXAZOLES AND THE USE THEREOF AS HERBICIDES--**

IN THE CLAIMS:

Please cancel Claim 15. Please amend the remaining claims as follows:

1. (Once Amended) A Gcompounds of the ~~general~~Formula (I),



in which

n represents the number 0, 1, 2 or 3,

A represents a single bond or represents alkanediyl (alkylene),

R¹ represents hydrogen or represents in each case optionally substituted alkyl, alkenyl or cycloalkyl,


- R² represents hydrogen, cyano, carbamoyl, halogen, or represents in each case optionally substituted alkyl, alkylcarbonyl, alkoxy, alkoxy carbonyl, alkylthio, alkylsulphinyl or alkylsulphonyl,
- R³ represents hydrogen, nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, or represents in each case optionally substituted alkyl, alkoxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylamino, dialkylamino or dialkylaminosulphonyl,
- R⁴ represents nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, or represents in each case optionally substituted alkyl, alkoxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylamino, dialkylamino or dialkylaminosulphonyl, and
- Z represents an optionally substituted 4- to 12-membered, saturated or unsaturated, monocyclic or bicyclic, heterocyclic grouping which contains 1 to 4 hetero atoms (up to 4 nitrogen atoms and optionally - alternatively or additionally - one oxygen atom or one sulphur atom, or one SO grouping or one SO₂ grouping) and which additionally contains one to three oxo groups (C=O) and/or thioxo groups (C=S) as components of the heterocycle.


2. (Once Amended) The ~~C~~compounds according to Claim 1, ~~characterized in that~~ wherein

- n represents the number 0, 1 or 2,
- A represents a single bond or represents alkanediyl (alkylene) having 1 to 4 carbon atoms,
- R¹ represents hydrogen, represents optionally cyano-, halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulphinyl- or C₁-C₄-alkyl-

sulphonyl-substituted alkyl having 1 to 6 carbon atoms, represents optionally cyano- or halogen-substituted alkenyl having 2 to 6 carbon atoms, or represents optionally cyano-, halogen- or C₁-C₄-alkyl-substituted cycloalkyl having 3 to 6 carbon atoms,

- R² represents hydrogen, cyano, carbamoyl, halogen, represents in each case optionally cyano-, halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulphinyl- or C₁-C₄-alkylsulphonyl-substituted alkyl, alkylcarbonyl, alkoxy or alkoxycarbonyl having in each case up to 6 carbon atoms, or represents optionally halogen-substituted alkylthio, alkylsulphinyl or alkylsulphonyl having 1 to 6 carbon atoms,
- R³ represents hydrogen, nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, represents in each case optionally halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulphinyl- or C₁-C₄-alkylsulphonyl-substituted alkyl, alkoxy, alkylthio, alkylsulphinyl or alkylsulphonyl having in each case up to 4 carbon atoms in the alkyl groups, or represents alkylamino, dialkylamino or dialkylaminosulphonyl having in each case up to 4 carbon atoms in the alkyl groups,
- R⁴ represents nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, represents in each case optionally halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulphinyl- or C₁-C₄-alkylsulphonyl-substituted alkyl, alkoxy, alkylthio, alkylsulphinyl or alkylsulphonyl having in each case up to 4 carbon atoms in the alkyl groups, or represents alkylamino, dialkylamino or dialkylaminosulphonyl having in each case up to 4 carbon atoms in the alkyl groups, and
- Z represents one of the heterocyclic groupings below





in which the dotted bond is in each case a single bond or a double bond, and each heterocyclic grouping preferably only carries two substituents of the definition R^5 and/or R^6 ,

Q represents oxygen or sulphur,

R^5 represents hydrogen, hydroxyl, mercapto, cyano, halogen, represents in each case optionally cyano-, halogen-, C_1 - C_4 -alkoxy-, C_1 - C_4 -alkylthio-, C_1 - C_4 -alkylsulphinyl- or C_1 - C_4 -alkylsulphonyl-substituted alkyl, alkylcarbonyl, alkoxy, alkoxy carbonyl, alkylthio, alkylsulphinyl or alkylsulphonyl having in each case up to 6 carbon atoms in the alkyl groups, represents in each case optionally halogen-substituted alkylamino or dialkylamino having in each case up to 6 carbon atoms in the alkyl groups, represents in each case optionally halogen-substituted alkenyl, alkynyl, alkenyloxy, alkenylthio or alkenylamino having in each case up to 6 carbon atoms in the alkenyl or alkynyl groups, represents in each case optionally halogen-substituted cycloalkyl, cycloalkyloxy, cycloalkylthio, cycloalkylamino, cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkylthio or cycloalkylalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl groups and optionally up to 4 carbon atoms in the alkyl moiety, or represents in each case optionally

halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted phenyl, phenyloxy, phenylthio, phenylamino, benzyl, benzyloxy, benzylthio or benzylamino, represents pyrrolidino, piperidino or morpholino, or – if two adjacent radicals R⁵ and R⁵ are located at a double bond - also together with the adjacent radical R⁵ represents a benzo grouping, and

R⁶ represents hydrogen, hydroxyl, amino, alkylidenamino having up to 4 carbon atoms, represents in each case optionally halogen- or C₁-C₄-alkoxy-substituted alkyl, alkoxy, alkylamino, dialkylamino or alkanoylamino having in each case up to 6 carbon atoms in the alkyl groups, represents in each case optionally halogen-substituted alkenyl, alkynyl or alkenyloxy having in each case up to 6 carbon atoms in the alkenyl or alkynyl groups, represents in each case optionally halogen-substituted cycloalkyl, cycloalkylalkyl or cycloalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl groups and optionally up to 3 carbon atoms in the alkyl moiety, or represents in each case optionally halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted phenyl or benzyl, or together with an adjacent radical R⁵ or R⁶ represents optionally halogen- or C₁-C₄-alkyl-substituted alkanediyl having 3 to 5 carbon atoms,

where the individual radicals R⁵ and R⁶ – if a plurality of them are attached to the same heterocyclic grouping - can have identical or different meanings within the scope of the above said definition of said radicals.


3. (Once Amended) ~~The~~ Compounds according to Claim 1 ~~or 2, characterized in that~~ wherein

A represents a single bond, methylene, ethylidene (ethane-1,1-diyl) or dimethylene (ethane-1,2-diyl),

- R¹ represents hydrogen, represents in each case optionally fluorine-, chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, methylthio-, ethylthio-, n- or i-propylthio-, methylsulphinyl-, ethylsulphinyl, n- or i-propylsulphinyl-, methylsulphonyl-, ethylsulphonyl-, n- or i-propylsulphonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, represents in each case optionally fluorine-, chlorine- or bromine-substituted propenyl, butenyl, propinyl or butinyl, or represents in each case optionally cyano-, fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl,
- R² represents hydrogen, cyano, carbamoyl, fluorine, chlorine, bromine, represents in each case optionally cyano-, fluorine-, chlorine-, methoxy- or ethoxy-substituted methyl, ethyl, n- or i-propyl, acetyl, propionyl, n- or i-butyryl, methoxy, ethoxy, n- or i-propoxy, methoxycarbonyl, ethoxycarbonyl, n- or i-propoxycarbonyl, or represents in each case optionally fluorine- and/or chlorine-substituted methylthio, ethylthio, n- or i-propylthio,
- R³ represents hydrogen, nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, fluorine, chlorine, bromine, iodine, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, methylthio-, ethylthio-, n- or i-propylthio-, methylsulphinyl-, ethylsulphinyl-, methylsulphonyl- or ethylsulphonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-substituted methoxy, ethoxy, n- or i-propoxy, represents in each case optionally fluorine- and/or chlorine-substituted methylthio, ethylthio, n- or i-propylthio, methylsulphinyl, ethylsulphinyl, n- or i-propylsulphinyl, methylsulphonyl, ethylsulphonyl, n- or i-propylsulphonyl, or represents methylamino, ethylamino, n- or i-propylamino, dimethylamino, diethylamino, dimethylaminosulphonyl or diethylaminosulphonyl,

R⁴ represents nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, fluorine, chlorine, bromine, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, methylthio-, ethylthio-, n- or i-propylthio-, methylsulphinyl-, ethylsulphinyl-, methylsulphonyl- or ethylsulphonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-substituted methoxy, ethoxy, n- or i-propoxy, represents in each case optionally fluorine- and/or chlorine-substituted methylthio, ethylthio, n- or i-propylthio, methylsulphinyl, ethylsulphinyl, n- or i-propylsulphinyl, methylsulphonyl, ethylsulphonyl, n- or i-propylsulphonyl, or represents methylamino, ethylamino, n- or i-propylamino, dimethylamino, diethylamino, dimethylaminosulphonyl or diethylaminosulphonyl,

Z represents one of the groupings



R⁵ represents hydrogen, hydroxyl, mercapto, cyano, fluorine, chlorine, bromine, iodine, represents in each case optionally fluorine-, chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, n-, i-, s- or t-butoxy-, methylthio-, ethylthio-, n- or i-propylthio-, n-, i-, s- or t-butylthio-, methylsulphinyl-, ethylsulphinyl-, n- or i-propylsulphinyl-, methylsulphonyl-, ethylsulphonyl-, n- or i-propylsulphonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, methoxy, ethoxy, n- or i-propoxy, n-, i-, s- or t-butoxy, methylthio, ethylthio, n- or i-propylthio, n-, i-, s- or t-butylthio, methylsulphinyl, ethylsulphinyl, n- or i-propylsulphinyl, methylsulphonyl, ethylsulphonyl, n- or i-propylsulphonyl, represents methylamino, ethylamino, n- or i-propylamino, n-, i-, s- or t-butylamino,

dimethylamino, diethylamino, di-n-propylamino or di-i-propylamino, represents in each case optionally fluorine- and/or chlorine-substituted ethenyl, propenyl, butenyl, ethinyl, propinyl, butinyl, propenyloxy, butenyloxy, propenylthio, butenylthio, propenylamino or butenylamino, represents in each case optionally fluorine- and/or chlorine-substituted cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropyloxy, cyclobutyloxy, cyclopentyloxy, cyclohexyloxy, cyclopropylthio, cyclobutylthio, cyclopentylthio, cyclohexylthio, cyclopropylamino, cyclobutylamino, cyclopentylamino, cyclohexylamino, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, cyclopropylmethoxy, cyclobutylmethoxy, cyclopentylmethoxy, cyclohexylmethoxy, cyclopropylmethylthio, cyclobutylmethylthio, cyclopentylmethylthio, cyclohexylmethylthio, cyclopropylmethylamino, cyclobutylmethylamino, cyclopentylmethylamino or cyclohexylmethylamino, or represents in each case optionally fluorine-, chlorine-, methyl-, ethyl-, n- or i-propyl-, n-, i-, s- or t-butyl-, methoxy-, ethoxy-, n- or i-propoxy-substituted phenyl, phenyloxy, phenylthio, phenylamino, benzyl, benzyloxy, benzylthio or benzylamino, represents pyrrolidino, piperidino or morpholino, or - if two adjacent radicals R^5 and R^5 are located at a double bond - together with the adjacent radical R^5 also represents a benzo grouping, and

- R^6 represents hydrogen, hydroxyl, amino, represents in each case optionally fluorine- and/or chlorine-, methoxy- or ethoxy-substituted methyl, ethyl, n- or i-propyl, n-, i- or s-butyl, methoxy, ethoxy, n- or i-propoxy, methylamino, ethylamino or dimethylamino, represents in each case optionally fluorine- and/or chlorine-substituted ethenyl, propenyl, ethinyl, propinyl or propenyloxy, represents in each case optionally fluorine- and/or chlorine-substituted cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl, cyclohexylmethyl, or represents in each case optionally fluorine-, chlorine-, methyl-, ethyl-, n- or i-propyl-, n-, i-, s- or t-butyl-, methoxy-, ethoxy-, n- or i-propoxy-substituted phenyl or benzyl,

or together with an adjacent radical R⁵ or R⁶ represents in each case optionally methyl- and/or ethyl-substituted propane-1,3-diyl (trimethylene) or butane-1,4-diyl (tetramethylene).

4. (Once Amended) ~~The Compounds~~ according to ~~any of Claims 1 to 3,~~
characterized in that wherein

- R¹ represents hydrogen, represents in each case optionally fluorine-, chlorine-, methoxy-, ethoxy-, methylthio-, ethylthio-, methylsulphinyl-, ethylsulphinyl-, methylsulphonyl- or ethylsulphonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, or represents optionally cyano-, fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted cyclopropyl,
- R² represents hydrogen, cyano, carbamoyl, fluorine, chlorine, bromine, represents in each case optionally cyano-, fluorine-, chlorine-, methoxy- or ethoxy-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, methoxycarbonyl, ethoxycarbonyl, n- or i-propoxycarbonyl, or represents in each case optionally fluorine- and/or chlorine- substituted methylthio, ethylthio, n- or i-propylthio,
- R³ represents hydrogen, nitro, cyano, fluorine, chlorine, bromine, iodine, methyl, ethyl, trifluoromethyl, methoxymethyl, methylthiomethyl, methylsulphinylmethyl, methylsulphonylmethyl, methoxy, ethoxy, difluoromethoxy, trifluoromethoxy, methylthio, ethylthio, methylsulphinyl, ethylsulphinyl, methylsulphonyl, ethylsulphonyl or dimethylaminosulphonyl,
- R⁴ represents nitro, cyano, fluorine, chlorine, bromine, methyl, ethyl, trifluoromethyl, methoxymethyl, methylthiomethyl, methylsulphinylmethyl, methylsulphonylmethyl, methoxy, ethoxy, difluoromethoxy, trifluoromethoxy, methylthio, ethylthio, methylsulphinyl, ethylsulphinyl, methylsulphonyl, ethylsulphonyl or dimethylaminosulphonyl,

R⁵ represents hydrogen, hydroxyl, chlorine, bromine, methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, difluoromethyl, dichloromethyl, trifluoromethyl, trichloromethyl, chlorodifluoromethyl, fluorodichloromethyl, fluoroethyl, chloroethyl, difluoroethyl, dichloroethyl, fluoro-n-propyl, fluoro-i-propyl, chloro-n-propyl, chloro-i-propyl, methoxymethyl, ethoxymethyl, methoxyethyl, ethoxyethyl, methoxy, ethoxy, n- or i-propoxy, n-, i-, s- or t-butoxy, fluoroethoxy, chloroethoxy, difluoroethoxy, dichloroethoxy, trifluoroethoxy, trichloroethoxy, chlorofluoroethoxy, chlorodifluoroethoxy, fluorodichloroethoxy, methylthio, ethylthio, n- or i-propylthio, fluoroethylthio, chloroethylthio, difluoroethylthio, dichloroethylthio, chlorofluoroethylthio, chlorodifluoroethylthio, fluorodichloroethylthio, methylsulphinyl, ethylsulphinyl, n- or i-propylsulphinyl, methylsulphonyl, ethylsulphonyl, n- or i-propylsulphonyl, dimethylamino, propenylthio, butenylthio, propinylthio, butinylthio, cyclopropyl, cyclopropylmethyl, cyclopropylmethoxy, phenyl or phenoxy, and

R⁶ represents amino, methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, methoxy, ethoxy, methylamino, dimethylamino, cyclopropyl or cyclopropylmethyl, or together with R⁵ represents propane-1,3-diyl (trimethylene), butane-1,4-diyl (tetramethylene) or pentane-1,5-diyl (pentamethylene).

5. (Once Amended) The Gcompounds according to ~~any of Claims 1 to 4,~~
~~characterized in that~~ wherein

A represents methylene.

6. (Once Amended) The Gcompounds according to ~~any of Claims 24 to 5,~~
~~characterized in that~~ wherein

Q represents oxygen (O).
Mo6727

7. (Once Amended) ~~The~~ Compounds according to ~~any of Claims 1 to 6,~~
characterized in that wherein

R¹ represents cyclopropyl.

8. (Once Amended) ~~The~~ Compounds according to ~~any of Claims 1 to 7,~~
characterized in that wherein

R² represents hydrogen, methoxycarbonyl or ethoxycarbonyl.

9. (Once Amended) ~~The~~ Compounds according to ~~any of Claims 24 to 8,~~
characterized in that wherein

R⁶ represents methyl, dimethylamino or cyclopropyl.


10. (Once Amended) ~~The~~ Compounds according to ~~any of Claims 1 to 9,~~
characterized in that wherein

R³ represents chlorine, bromine, cyano, trifluoromethyl or methylsulphonyl.

11. (Once Amended) ~~The~~ Compounds according to ~~any of Claims 1 to 10,~~
characterized in that wherein

R⁴ represents hydrogen, cyano, chlorine, nitro, methyl, trifluoromethyl,
methoxy or methylsulphonyl.


12. (Once Amended) ~~A~~ Compounds according to ~~any of Claims 1 to 14 of the~~
~~general f~~Formula (IA)



in which

n , A , Q , R^1 , R^2 , R^3 , R^4 , R^5 and R^6 are each as defined in ~~any of Claims 24 to 44.~~


13. (Once Amended) ~~A~~ C compounds ~~according to any of Claims 1 to 14 of the general f~~ Formula (IB)



in which

n , A , Q , R^1 , R^2 , R^3 , R^4 , R^5 and R^6 are each as defined in ~~any of Claims 2 4 to 44.~~

14. (Once Amended) ~~A~~ C compounds ~~according to any of Claims 1 to 14 of the general f~~ Formula (IC)




in which

n, A, Q, R¹, R², R³, R⁴, R⁵ and R⁶ are each as defined in ~~any of Claims 2 4 to 11.~~

16. (Once Amended) A Process for preparing a compounds of the Formula (I) according to ~~any of Claims 1 to 15, characterized in that wherein~~

(a) a benzoylisoxazoles of the general Formula (II)



in which

n, A, R¹, R², R³ and R⁴ are each as defined in ~~any of Claims 1 to 5, 7, 8, 10 and 11 and~~

X represents halogen

are reacted with heterocycles of the ~~general Formula (III)~~



in which


Z is as defined in Claims 1 ~~or 2,~~

~~if appropriate~~ optionally in the presence of one or more reaction auxiliaries and ~~if appropriate~~ optionally in the presence of one or more diluents,

or that

- if R^2 is hydrogen-

(b) a benzoyl ketones of the general Formula (IV)



in which

n , A , R^1 , R^3 , R^4 and Z are each as defined in ~~any of Claims 1 to 5, 7, 10 and~~
44

are reacted with a compound selected from the group consisting of an
orthoformic ester ~~or~~ and an N,N-dimethylformamide acetal


and are subsequently reacted with hydroxylamine or an acid adduct thereof,

~~if appropriate~~ optionally in the presence of one or more reaction auxiliaries
and ~~if appropriate~~ optionally in the presence of one or more diluents,

or that

- if R^2 represents optionally substituted alkoxycarbonyl -

(c) a benzoyl ketones of the general Formula (IV)



in which

n , A , R^1 , R^3 , R^4 and Z are each as defined in ~~any of Claims 1 to 5, 7, 10 and~~

~~44~~


are reacted with a cyanoformic ester and then ~~with a compound selected from the group consisting of~~ hydroxylamine, or an acid adduct of hydroxylamine thereof, or ~~are reacted with and~~ an alkyl chloro-hydroximino-acetate,

~~if appropriate~~ optionally in the presence of one or more reaction auxiliaries and ~~if appropriate~~ optionally in the presence of one or more diluents,

or that

- if R^2 represents alkylthio -

(d) a benzoyl ketones of the ~~general~~ Formula (IV)



in which

n , A , R^1 , R^3 , R^4 and Z are each as defined in ~~any of Claims 1 to 5, 7, 10 and~~

~~44~~


are reacted with carbon disulphide and with an alkylating agent

and then with hydroxylamine or an acid adduct thereof,

if ~~appropriate~~ optionally in the presence of one or more reaction auxiliaries
and if ~~appropriate~~ optionally in the presence of one or more diluents,

and further optionally comprising the step of conducting electrophilic or
nucleophilic substitutions and/or oxidations or reductions ~~within the scope of~~
~~the definition of the substituents are, if appropriate, subsequently carried out~~
~~in a customary manner~~ on the compounds of the ~~f~~Formula (I) obtained
according to one of said processes (a) to (d).


17. (Once Amended) A Compounds of the ~~general f~~Formula (IE)



in which

n, A, R¹, R², R³, R⁴ and Z are each as defined in ~~any of Claims 1 to 5, 7, 8, 10~~
~~and 11.~~

18. (Once Amended) A Compounds of the ~~general f~~Formula (II), ~~except for ethyl~~
~~4-(2-bromo-methyl-benzoyl)-5-cyclopropyl-isoxazole-3-carboxylate,~~




in which

n, A, R¹, R², R³ and R⁴ are each as defined in ~~any of Claims 1 to 5, 7, 8, 10~~
~~and 11~~ and

X represents halogen,

excluding ethyl 4-(2-bromo-methyl-benzoyl)-5-cyclopropyl-isoxazole-3-carboxylate.

19. (Once Amended) A Compounds of the ~~general~~ Formula (IV)



in which

n, A, R¹, R³, R⁴ and Z are each as defined in ~~any of Claims 1 to 5, 7, 10 and 14.~~

20. (Once Amended) An Herbicidal compositions, ~~characterized in that they comprise~~ comprising at least one compound according to ~~any of Claims~~ Claim 1 ~~to 14~~ and ~~customary~~ an extenders.
21. (Once Amended) ~~Use of at least one~~ A method for controlling undesirable plants comprising applying an effective amount of a compound of the Formula (I) according to any of Claims 1 to 14 for controlling undesirable plants to one or more members selected from the group consisting of said plants and an habitat of said plants.